

**AMENDMENTS TO THE CLAIMS**

1. (Previously Presented) For use with an automated call placement system having a switching service unit, a call monitoring unit capable of monitoring a selected one of lines coupled to said switching service unit, comprising:

a recorder, coupled to said call monitoring unit, that monitors a call carried on said selected one of said lines and creates a recording of said call on a storage medium associated therewith, said storage medium being of finite capacity thereby causing said recording to be subject to eventual overwriting from a subsequent call; and

a recorder controller, coupled to said recorder, that provides an audible reproduction of said call to a user in real time and allows said user to preserve said recording based on said audible reproduction to delay said overwriting from said subsequent call.

2. (Original) The system as recited in Claim 1 wherein said recorder controller allows said user to preserve said recording to prevent said overwriting.

3. (Previously Presented) The system as recited in Claim 1 wherein said recorder monitors said call by tapping a trunk line coupled to said switching service unit.

4. (Previously Presented) The system as recited in Claim 1 wherein said call is an outgoing call from a station coupled to said switching service unit.

5. (Original) The system as recited in Claim 1 wherein said storage medium contains a plurality of recordings arranged in directories according to a date on which said recorder created said plurality of recordings.

6. (Original) The system as recited in Claim 1 wherein said recorder controller is an ADSI-capable device.

7. (Original) The system as recited in Claim 1 wherein said recording is subject to overwriting on an aged basis.

8. (Previously Presented) For use with an automated call placement system having a switching service unit, a method of making a recording of a conversation occurring on a selected one of lines coupled to said switching service unit, comprising:

monitoring a call carried on said selected one of said lines;

creating a recording of said call on a storage medium, said storage medium being of (nite capacity thereby causing said recording to be subject to eventual overwriting by a subsequent call; and

providing an audible reproduction of said call to a user in real time with a recorder controller; and

allowing said user, with said recorder controller, to preserve said recording based on said audible reproduction to delay said overwriting by said subsequent call.

9. (Original) The method as recited in Claim 8 wherein said recorder controller allows said user to preserve said recording to prevent said overwriting.

10. (Previously Presented) The method as recited in Claim 8 wherein said monitoring includes monitoring at a trunk line coupled to said switching service unit.

11. (Previously Presented) The method as recited in Claim 8 wherein said call is an outgoing call from a station coupled to said switching service unit.

12. (Original) The method as recited in Claim 8 wherein said storage medium contains a plurality of recordings arranged in directories according to a date on which said recorder created said plurality of recordings.

13. (Original) The method as recited in Claim 8 wherein said recorder controller is an ADSI-capable device.

14. (Original) The method as recited in Claim 8 wherein said recording is subject to overwriting on an aged basis.

15. (Previously Presented) An automated call placement system (ACP), comprising:

- a switching service unit;
- a plurality of stations coupled to said switching service unit;
- a call monitoring unit capable of monitoring a selected one of lines coupled to said switching service unit;
- a storage medium associated with said call monitoring unit;
- a recorder, coupled to said call monitoring unit, that monitors a call carried on said selected one of said lines and creates a recording of said call on a storage medium, said storage medium being of finite capacity thereby causing said recording to be subject to eventual overwriting by a subsequent call; and
- a recorder controller, coupled to said recorder, that provides an audible reproduction of said call to a user in real time and allows said user to preserve said recording based on said audible reproduction to prevent said overwriting by said subsequent call.

16. (Previously Presented) The ACP as recited in Claim 15 wherein said recorder monitors said call by tapping a trunk line coupled to said switching service unit.

17. (Previously Presented) The ACP as recited in Claim 15 wherein said call is an outgoing call from one of said plurality of stations.

18. (Original) The ACP as recited in Claim 15 wherein said storage medium contains a plurality of recordings arranged in directories according to a date on which said recorder created said plurality of recordings.

19. (Original) The ACP as recited in Claim 15 wherein said recorder controller is an ADSI-capable device.

20. (Original) The ACP as recited in Claim 15 wherein said recording is subject to overwriting on an aged basis.

21. (Previously Presented) A system for managing deletion of telephony recordings stored in a storage unit, comprising:

a file structure including directories, each of said directories designated to contain only telephony recordings of telephone conversations created during particular periods of time; and

a controller, associated with said storage unit, that recovers storage capacity in said storage unit by deleting an entire one of said directories based on said particular periods of time.

22. (Previously Presented) The system as recited in Claim 21 wherein said telephony recordings are telephone conversations between two parties created during said particular periods of time.

23. (Original) The system as recited in Claim 21 wherein said controller deletes an oldest one of said directories.

24. (Original) The system as recited in Claim 21 wherein said particular period of time is one day.

25. (Original) The system as recited in Claim 21 wherein said storage unit is a disk storage unit.

26. (Previously Presented) The system as recited in Claim 21 wherein selected ones of said telephony recordings are removed from one of said directories before said controller deletes said directory.

27. (Previously Presented) The system as recited in Claim 21 wherein said controller deletes said one of said directories by deleting said telephony recordings contained in said directory and renaming said one.